

Glossary

- 1**
 - RFC1918
- 2**
 - RFC2275
 - RFC 2473
 - 2G
- 3**
 - 3G
- 4**
 - RFC 4681
 - 4G
 - 4in6
- 5**
 - RFC 5572
- 6**
 - 6in4
 - 6rd
 - 6to4
- 8**
 - 802.11a
 - 802.11ac
 - 802.11b
 - 802.11bg
 - 802.11g
 - 802.11n
 - 802.1p
 - 802.1q
- a**
 - A
 - AAAA
 - ABR
 - Access Point
 - Access Taken
 - Access Control List
 - ACS
 - ADPCM
 - ADSL
 - AIG SPECIFICATION
 - Assured Forwarding
 - ATR
 - Authentication Headers
 - Audiotex
 - AMRDU
 - AMSDU
 - Access Point Isolation
 - AP Steering
 - AuthN
 - API
 - Application Performance Management
 - APN
 - ASP
 - ASCH
 - Asterisk
 - Airtime Fairness
 - ATM - Asynchronous Data Transfer Mode
 - Resource Owner
 - Authorization Grant
 - Authorization Request
 - Authorization Server
 - Authentication
 - Authoritative DNS
 - Authorization
 - Auto-Negotiation
 - Average
- b**
 - back-off
 - Band Steering
 - Bandwidth
 - Base64
 - Basic Authentication
 - Beamforming
 - Bit Error Rate
 - BR Rate
 - Bitwise OR
 - BOSH
 - BSS
- c**
 - CA
 - CATV
 - CBR
 - CCMP
 - CDMA
 - CDN
 - Cell (DSL)
 - CHAP
 - Checksum
 - Continuous Integration
 - Cipher
 - Circuit ID
 - Classful QoS / Packet Scheduler
 - CLN
 - CNAME
 - Codec
 - ComSec
 - Companding
 - Congestion
 - Connection Bytes
 - Cookie
 - CORS
 - CPE
 - NCPH
 - CPU
 - CRC
 - Cron Log Level
 - Critical Rendering Path
 - Content Receive Time
 - CRUD HTTP Methods
 - Class Selector
 - Client-Side Certificate
 - Client-Side Monitor
 - CSS
 - CSSOM
 - Custom Events
- d**
 - Data Package
 - DDM
 - Dynamic DNS (DDNS or DynDNS)
 - DDOS
 - Decoding
 - DECT
 - Delay
 - DER
 - Device Flags
 - DFS
 - DHCP
 - DHCP lease
 - DHCP Options
 - DHCP Options
 - DHCP Pool
 - DHCP Relay
 - DNS Server
 - Dial Plan
 - Differentiated Services
 - DLNA
 - Discrete MultiTime Modulation
 - DMZ
 - DNS
 - DNS Server
 - DNS Translation File
 - Dnsmap
 - DNSSEC
 - DOM
 - DOM
 - Domain Name Matching
 - Domain Name
 - DOS
 - Downlink
 - DCPM
 - Dropping
 - DS-Lite
 - DSCP
 - DSL
 - DSL_Mode
 - DTMF
 - DTMF Mode
 - DUID
 - Duplex
 - Dwell Time
- e**
 - Ethernet Auto Power Down
 - Ethernet Auto Power Down
 - EIC
 - EDNS
 - EEE
 - Encoding
 - Encryption
 - Endpoint
 - EoA
 - ESP
 - Ethernet
 - EVD0
 - Execution Mode
- f**
 - Failover
 - FA332
 - FEC - Forward error correction
 - File System
 - Firewall Action
 - Firewall group
 - Firewall Zone
 - Flow Control
 - Flow Specification
 - Form based Authorization
 - FQDN
 - Frame
- g**
 - Gateway
 - Gateway metric
 - Genomask
 - GPRS
 - GAE
 - GSM
 - GSSAPI
- h**
 - HAR File
 - HATEQAS
 - Keep-Alive Efficiency
 - Host ID
 - Hostname
- s...**

- HOSTS File
 - Header Receive Time
 - HSRN / HSRM
 - HT Capabilities
 - HTTP
 - HTTP2
 - HTTP Body
 - HTTP Status Codes
 - HTTP Header
 - HTTP Methods
 - HTTPS
- i**
 - IAD
 - ICE
 - ICMP
 - Identity Provider
 - Identity Store
 - IGMP
 - IGMP Proxy
 - IGMP Snooping
 - Infrastructure monitoring
 - Inotify
 - Interface Protocol
 - Interface Protocol Type
 - Interface Type
 - InServ
 - IO
 - Iopps
 - IOT
 - iQ Wait Time
 - IP
 - IP Address
 - IP Diagram
 - IP ECN
 - IP in IP
 - IP Precedence
 - IP Quality of Service Algorithm
 - IPTOS
 - IPsec
 - IP Route
 - IPsec
 - IPables
 - IPTV
 - IPUI
 - IPv4
 - IPv4 Address
 - IPv4 Broadcast Address
 - IPv6
 - IPv6 Address
 - IPv6 Address
 - Iterative Resolver
 - IUP
 - j**
 - jitter
 - Jitter Buffer
 - JSON
 - JSON
 - JUCI
 - k**
 - Kerberos
 - KeyStore
 - KPI
 - l**
 - LZTP
 - LAN
 - Latency
 - Latency Path
 - LCP
 - LLC
 - Load Balancing
 - Load Distribution
 - Load Test
 - Logging Level
 - Loop Alternation
 - LSAP
 - LTE
 - m**
 - MAC
 - Masquerading
 - MSS
 - MCR
 - Median
 - MIME Type
 - MiniDLNA
 - MITM
 - MLD
 - MRDU
 - MSDU
 - MSS
 - MSS Clamping
 - MTA
 - MTOM
 - MTU
 - Multicast
 - MultiWan
 - SOAP Must Understand
 - MX
 - n**
 - NAT
 - NAT Loopback
 - NAT PMP
 - NDP
 - NDP Relay
 - NDP Status
 - Neighbor Advertisement
 - Neighbor Solicitation
 - Netmask
 - Network Solicitation
 - Network Interface
 - Network Profile
 - Network Redirect
 - Network Throughput
 - Next Hop
 - NIC
 - Noise level
 - Non-functional requirement
 - NS
 - NTFS
 - NTLM
 - NTP - Network Time Protocol
 - NTP Mode
 - o**
 - OAuth
 - OBS Coexistence
 - ODHCPD
 - Open Resolver
 - OpenWRT
 - OUI
 - Outstanding Request
 - Overhead
 - OSID
 - p**
 - Packet
 - Packet Aggregation
 - Packet Loss
 - Packet Scheduler / Queuing Discipline
 - Packetization
 - Pairing
 - PAP
 - Pause Frames
 - PBX
 - PCN
 - PCR
 - Peak Load
 - PEM
 - Periodic Inform
 - PID
 - PIN
 - Ping
 - PKCS
 - Plain Text
 - PLC
 - Traffic Policing
 - PoP
 - Port
 - Port Forwarding
 - Port Speed
 - PPOE
 - PPP
 - PPPoE
 - PPPoE
 - Precedence
 - Prefetch degradation
 - Preserve Value
 - Private Key
 - Protocol
 - Proxy
 - Page Response Time Client Side
 - Page Response Time Server Side
 - PSN
 - PSK
 - PSTN
 - PTM - Pulse-Time Modulation
 - PTM Priority
 - Point-to-Point Tunneling Protocol
 - PTR
 - Public Key
 - q**
 - Queuing Discipline / Packet Scheduler
 - QName
 - QoS
 - QoS Class
 - QoS Filter
 - QoS Classification Group
 - QoS Mark
 - QoS Scheduling
 - Quantization
 - Query String
 - r**
 - RADVD
 - RAM
 - RAML
 - Ramp-Up
 - Record Resource Types
 - Refresh Token
 - Regular Expression
 - Remote ID
 - Resolve File
 - Resolver
 - Resolver cache
 - Resource Owner
 - s**

- Resource Record
 - Resource Server
 - REST
 - Method
 - Parameter Levels
 - Representation
 - Representation Types
 - REST Request
 - Resource
 - RESTful
 - RFC1918
 - RFC2275
 - Richardson Maturity Model
 - User Roles
 - ROM
 - Root QDisc
 - Route
 - Route metric
 - Router Advertisement
 - Router Solicitation
 - Routing
 - Routing Table
 - Request SPECIFICATION
 - RSS (Memory)
 - RSSI
 - RSVP
 - Response Time Analysis
 - RTP
 - RTPSP
 - RVC
 - RX Chain Power Save
 - RX Chain Power Save PPS
 - RX Chain Power Save Quiet Time
- s**
 - Security Associations
 - Samba
 - SAML 2.0
 - Scalability
 - Schema Annotation
 - Schema Inference
 - SCR
 - Script
 - Security Token
 - Service Definition
 - Service Provider
 - Service Type
 - Severity
 - SFP
 - Shaping
 - SIP
 - SIP Account
 - SIP Address
 - SIP Authentication Name
 - SIP Codec
 - SIP Domain
 - SIP Realm
 - SIP Reg Interval
 - SIP Server/Registrar
 - SIP User
 - SIPS
 - SLA
 - SMTP
 - SMTP Server
 - SMAP
 - Server Name Indication
 - Simple Network Management Protocol
 - SNMP Agents
 - SNR - Signal to Noise Ratio
 - SNR Margin
 - SQA
 - SQAP
 - SQAP Operation
 - SQAP Request
 - SQL Errors
 - SRENG/Kerberos
 - Strict Priority Precedence
 - Seamless Rate Adaptation
 - SRTP
 - SAV
 - SCOP
 - SSH
 - SSD
 - SSL
 - SSL Cache
 - SSL Certificate
 - SSL CN
 - SSL Fingerprint
 - SSL Renegotiation Indication Extension
 - SSL SAN
 - Source-Specific Multicast
 - Single Sign-On
 - Standard Deviation
 - State Code
 - Statelessness
 - Static address
 - Static Route
 - Stealth Name Server
 - Stored Procedure
 - Stub Resolver
 - STUN
 - Subnet Mask
 - Subscriber ID
 - Swagger
 - t**
 - TCP
 - TCP Flags
 - TD-SCDMA
 - Think time
 - Threshold
 - Throughput
 - TKIP
 - TLS
 - Token Bucket
 - TPC
 - TPrst
 - TPO99
 - Traceroute
 - Transaction
 - Transaction Rate
 - Triple Play
 - Transaction Response Time
 - TrustStore
 - TSF
 - Traffic SPECIFICATION
 - Time To First Byte
 - TTL
 - Time To Transit
 - Tunnel
 - u**
 - UAPSD
 - UBIFS
 - UBR
 - UBUS
 - UDP
 - UMTS
 - Unicast
 - Unmanaged
 - Uplink
 - URIP
 - URL
 - URL Encoding
 - URL Filter
 - USB
 - Use Case
 - Use Case Iteration Time
 - User-Agent
 - User Class
 - UTF
 - UID
 - VLAN
 - Virtual Network Interface
 - VLAN
 - VLAN Tag
 - VOP
 - VPI
 - VPI
 - VPI
 - VSI
 - %VSI
 - w**
 - WADL
 - WAN
 - WAN
 - Waterfall Diagram
 - WCDMA
 - Web Service
 - Websocket
 - WEP
 - Weighted Fair Queuing
 - WiFi
 - WiFi band
 - WiFi channel
 - WiFi encryption
 - WiFi interface
 - WiFi key
 - WiFi Mode
 - Wireless radio
 - LAN
 - WMM / WME
 - WMM Acknowledgement
 - WMM Power Save
 - WPA2 Enterprise
 - WPA2 PSK
 - WPA Enterprise
 - WPA personal
 - WPS
 - WSDL
 - WS-Security
 - WWAN
 - x**
 - X.509
 - XFF
 - XML
 - XML-RPC
 - XMP
 - XPath
 - XSD
 - z**
 - Zone File
 - Zone Transfer

[Top ↑](#)

From:

<http://wiki.inteno.se/glossary/> - **Inteno Glossary**

Permanent link:

<http://wiki.inteno.se/glossary/start>



Last update: **2018/08/10 18:21**